



URGENT: FIELD SAFETY NOTICE

ETHICON VICRYL™ Mesh Bag

October 20, 2014

Dear Operating Room Supervisors, Materials Management Personnel and Chief of Surgery:

ETHICON has initiated a voluntary recall for select lots of **Ethicon Vicryl™ Mesh Bag** (Product Codes VM101 and VM102). The measuring tape that is provided with these products was not adequately sterilized. This voluntary product recall is being executed because the use of non-sterile measuring tape in the surgical field presents a safety hazard for contamination and subsequent infection.

EFFECTIVE IMMEDIATELY – DO NOT USE PRODUCT CODES VM101 and VM102 WITH PRODUCT LOTS NOTED BELOW:

Device Name	Product Code	Product Lot	Affected Expiry Date
Ethicon Vicryl™ Mesh Bag	VM101	GG8BMCM0	June 2018
Ethicon Vicryl™ Mesh Bag	VM102	HA8JCKD0	June 2018
		GG8BMDM0	June 2018
		GE8DHPM1	December 2017

Please see **Attachment A** for a Product Identification Tool to assist in identifying the impacted lots of product using package labels.

PLEASE NOTE: This recall involves only the specified lots listed above of Ethicon Vicryl™ Mesh Bag. No other product lots are affected.

The voluntary recall has been communicated to the European Competent Authorities in the countries affected by this product recall.

ETHICON has received no reports of adverse events associated with the recalled product.

URGENT FIELD SAFETY NOTICE
ETHICON VICRYL™ Mesh Bag

Action Needed:

1. Examine your inventory immediately to determine if you have recalled product on hand. **Remove and quarantine** the recalled product and communicate the issue to relevant operating room or materials management personnel or anyone else in your facility who needs to be informed.
2. If any product included in this recall has been forwarded to another facility, contact that facility to arrange return.
3. Complete the Business Reply Form (BRF) (**Attachment B**) confirming receipt of this notice within three (3) business days. The BRF may be sent to [enter local Affiliate or Sales Representatives Email Address, Fax number]. Please return the BRF **even if you do not have affected product**.
4. Keep this notice visibly posted for awareness until all product listed above has been returned to ETHICON. While processing your returns, please maintain a copy of this notice with the affected product and keep a copy for your records
5. Credit is available for customers who return affected product.
 - All affected product must be returned immediately. Any product returned after January 30, 2015 will not be eligible for credit.
 - To return affected product, photocopy the completed BRF, place it in the box with the product, and return the product to your Sales Representative.
6. For help to identify an alternative product code, please speak directly with your Sales Representative.

If you need clinical or product support, please contact your local Sales Representative or ETHICON.

As with any medical device, adverse reactions or quality problems experienced with the use of this product should be reported your Sales Representative, directly to ETHICON, or your National Health Authority.

If you have any further question related to this notice or if you need an additional communications letter, please contact your Sales Representative.

Attachments:

Attachment A: Product Identification Tool

Attachment B: Business Reply Form


URGENT FIELD SAFETY NOTICE
ETHICON VICRYL™ Mesh Bag

ATTACHMENT A: Product Identification Tool

Ethicon Vicryl™ Mesh Bag

This tool will help customers identify the impacted lots of product using package labels. This document applies to the box labels, Tyvek® label and inner folder of the packaging for product codes VM101 and VM102

Product Code VM101 is used as the example.



URGENT FIELD SAFETY NOTICE
ETHICON VICRYL™ Mesh Bag

ATTACHMENT B: Business Reply Form

Please confirm that you have received the FIELD SAFETY NOTICE regarding the product recall of Ethicon VICRYL™ Mesh Bag device (Product Codes VM101 and VM102). Your timely response to this notification is requested. Please complete and fax/e-mail this form to [Local Affiliate, Email Address, Fax number] **within 3 business days, even if you do not have product to return.**

If you have Ethicon VICRYL™ Mesh Bag devices to return, please make a photocopy of your completed Business Reply Form and enclose with your return. Thank you for your cooperation.

Product Inventory – please check one

- We have no affected Ethicon VICRYL™ Mesh Bag devices for return.
- We have affected Ethicon VICRYL™ Mesh Bag devices and are returning the following devices:

Device Name	Product Code	Product Lot	Quantity returning
Ethicon Vicryl™ Mesh Bag	VM101	GG8BMCM0	
Ethicon Vicryl™ Mesh Bag	VM102	HA8JCKD0	
		GG8BMDM0	
		GE8DHPM1	

Facility Name:	Street Address:	City, Country, Postal Code:

Print Name of Person Completing Business Reply Form:	Telephone Number:
Customer Number:	Date:
Signed*:	
<small>*Your signature provides confirmation that you have received and understood this notification</small>	
Your comments are welcome.	